

## SPECIFICATIONS


### 330B

Crankshaft power <sup>1</sup>	243 kW	330 hp, metric
Crankshaft power <sup>2</sup>	235 kW	315 bhp
Rated speed	2800 rpm	2800 rpm
Bore x stroke	102x120 mm	4.02x4.72 in
Displacement	5.9 liters	359 cu in
Aspiration	Turbocharged/ Aftercooled	Turbocharged/ Aftercooled
Number of cylinders	6	6
Engine weight without gear	572 kg	1,260 lb

#### Dimensions without gear

Length	1041 mm	41 in
Width	816.6 mm	32.2 in
Height	772.2 mm	30.4 in

Fuel consumption	Prop hp	
	liters per hour	gallons per hour
2800 rpm	63.6	16.8
2600 rpm	49.9	13.2
2400 rpm	39.4	10.4
2200 rpm	31.0	8.2
2000 rpm	25.0	6.6
1800 rpm	19.3	5.1
1600 rpm	14.8	3.9
1400 rpm	10.6	2.8
1200 rpm	7.6	2.0




### 370B

Crankshaft power <sup>1</sup>	273 kW	370 hp, metric
Crankshaft power <sup>2</sup>	265 kW	355 bhp
Rated speed	3000 rpm	3000 rpm
Bore x stroke	102x120 mm	4.02x4.74 in
Displacement	5.9 liters	359 cu in
Aspiration	Turbocharged/ Aftercooled	Turbocharged/ Aftercooled
Number of cylinders	6	6
Engine weight without gear	572 kg	1,260 lb

#### Dimensions without gear

Length	1041 mm	41 in
Width	816.6 mm	32.2 in
Height	772.2 mm	30.4 in

Fuel consumption	Prop hp	
	liters per hour	gallons per hour
3000 rpm	72.9	19.3
2800 rpm	57.6	15.2
2600 rpm	45.8	12.1
2400 rpm	36.0	9.8
2200 rpm	29.6	7.8
2000 rpm	23.2	6.1
1800 rpm	17.8	4.7
1600 rpm	13.2	3.5
1400 rpm	9.5	2.6



<sup>1</sup> Technical data according to ISO 3046 fuel stop power. Fuel 25°C (77°F).

<sup>2</sup> Technical data according to ISO 8665 fuel stop power. Fuel 40°C (104°F). Power rated in accordance with IMCI procedures.