IRM 301 A-2 Technical data and Installation dimensions

REDUCTION RATIOS	SAE HORSEPOWER (KILOWATTS)										
	CONTINUOUS		MEDIUM		LIGHT		PLEASURE				
	1800 RPM	2100 RPM	2100 RPM	2800 RPM	2300 RPM	2800 RPM	2300 RPM	2800 RPM			
1.191, 1.516 2.006, 2.901	164 (123)	192 (143)	256 (191)	342 (255)	357 (266)	434 (324)	396 (296)	482 (360)			
			POWI	ER/SPEED R	ATIOS (KW	/RPM)					
1.191, 1.516 2.006, 2.901	0.0	0681	0.0	911	0.1	157	0.12	285			

Max./Min. engine speed limits - Diesel: 3000/400 rpm

approx. dry weight*: 89 kg (196 lbs)


Max. limit for continuous duty:

2600 rpm

approx. oil capacity: 6.5 liter (6.9 qt)

*without bell housing

Metric Horsepower = SAE Horsepower x 1.014



Standard input rotation is for engines which rotate in an anticlockwise direction when looking on the flywheel end.

Dimensions	A	\mathbf{B}_{1}	B_2	H_1	H ₂	L	L ₁	L ₂	L ₃ (SAE 1)	L ₃ (SAE 2)	L ₃ (SAE 3)	α
mm	56	235	235	167	306	485	324	88	80	34.5	34.5	10°
inches	2.20	9.25	9.25	6.59	12.05	19.09	12.76	3.46	3.15	1.36	1.36	10°

TORSIONAL RESPONSIBILITY:

The responsibility for ensuring torsional compatibility rests with the assembler of the drive and driven equipment.

ZF can accept no liability for gearbox noise caused by vibrations or for damage to the gearbox, the flexible coupling or to other parts of the drive unit caused by this kind of vibration. Contact ZF for further information and assistance.

Ratings apply to marine transmissions currently in production and are subject to change without prior notice

SAFE OPERATION NOTICE:

The safe operation of ZF products depends upon adherence to technical data presented in our brochures. Safe operation also depends upon proper installation, operation and routine maintenance and inspection under prevailing conditions and recommendations set forth by ZF. Damage to transmissions caused by repeated or continuous emergency manoeuvres or abnormal operation is not covered under warranty. It is the responsibility of users and not ZF to provide and install guards and safety devices which may be required by recognized safety standards of the respective country (e.g. for U.S.A. - the Occupational Safety Act of 1970 and its subsequent provisions).

Subject to technical change without notice. For installation purposes, please request installation drawings.

ZF Friedrichshafen AG	ZF - MPM	ZF Industries, Inc. Marine Div.			
	Via Penghe 48	777 Hickory Hill Dr.			
D-88038 Friedrichshafen	1-35 030 Caselle di Selvazzano	Vernon Hills, IL 60061			
Germany	Padova, Italy	U.S.A.			
Phone (0.75.41) 77-0	Phone (049) 8299-311	Phone (708) 634-3500			
Fax (0.75.41) 77-5942	Fax (049) 8299-550	Fax (708) 913-1039			